




FUJI 

FUJI
HOM LIFT

FUJI OMAN

WWW.FUJIOMAN.COM

ADDRESS;
CHINA-SUZHOU +8613013772589
FOR MIDDLE ESST AND OMAN
+96897007517-22464340



OM-12-1A

CEILING

TITANIUM GOLD STAINLESS STEEL

CAR WALL

ETCHED STAINLESS STEEL MIRROR PLATED
WITH GOLD COLOR,
GLASS MIRROR

FLOORING

STANDARD PVC(OPTIONAL MARBLE)

HANDRAIL

STAINLESS STEEL ROUND TUBE, WOOD HANDRAIL



MA04

CEILING

ACRYLIC LIGHTING DECORATION,
MIRROR STAINLESS STEEL, DOWN LAMP

CAR WALL

MIRROR STAINLESS STEEL WITH WOOD DESIGN

FLOORING

STANDARD PVC(OPTIONAL MARBLE)

HANDRAIL

STAINLESS STEEL HAIRLINE



MA08

CEILING

SILVER STAINLESS STEEL, WITH LIGHT

CAR WALL

*ETCHED STAINLESS STEEL PLATED
WITH GOLD, STAINLESS STEEL MIRROR*

FLOORING

STANDARD PVC(OPTIONAL MARBLE)

HANDRAIL

STAINLESS STEEL ROUND TUBE



MA01

CEILING

BLACK TITANIUM MIRROR STAINLESS STEEL FRAME,
DOWN LAMP, TOP PANEL LED DISCOLOR LIGHTING

CAR WALL


HAIRLINE STAINLESS STEEL, BLACK TITANIUM MIRROR

FLOORING STANDARD

PVC (OPTIONAL MARBLE)

HANDRAIL

STAINLESS STEEL ROUND TUBE



GMA03

CEILING

GOLD STAINLESS STEEL, HAIRLINE FRAME, ACRYLIC

CAR WALL

HAIRLINE STAINLESS STEEL PLATED
WITH GOLD, STAINLESS STEEL MIRROR

FLOORING

STANDARD PVC (OPTIONAL MARBLE)

HANDRAIL

STAINLESS STEEL ROUND TUBE



WMA07

CEILING

MIRROR STAINLESS STEEL FRAMEWORK,
IN MIDDLE ACRYLIC LIGHTING

CAR WALL

WOOD DESIGN WITH GLOSSY FINISHING
WITH GLASS MIRROR

FLOORING

STANDARD PVC(OPTIONAL MARBLE)

HANDRAIL

HAIRLINE STAINLESS STEEL



OM 12-33




OM 12-34



OM 12-A



OM 12-6



OM 12-4




OM 12-3




GENERAL CHARACTERISTICS:

1. DESIGNED FOR USE INDOOR AND OUTDOOR FOR RESIDENTIAL PROJECTS.
2. OVERCOMES ARCHITECTURAL BARRIERS.
3. COMPACT, QUIET AND EASY TO INSTALL.
4. IT IS SMOOTH IN MOVEMENT AND EXTREMELY SAFE.
5. IT SERVICES A DISTANCE OF UP TO 4 FLOORS WITH THE AVAILABILITY TO INSTALL UP TO 3 DOORS AT DIFFERENT DIRECTIONS IN EACH FLOOR.
6. LOAD: UP TO 630 KG.
7. PIT DIMENSIONS: 300 MM TO 1000 MM .
8. OVERHEAD ROOM DIM. : 2700 MM TO 3100 MM .
9. POWER CONSUMPTION: 380 VOLT / 3 PHASE ELECTRICAL OUTLET .
10. REDUCED MAINTENANCE COSTS.
11. MORE THAN 50 MODELS, FOR INDOOR AND OUTDOOR.



COP & LOP SERVICES

HANDRAIL SERIES



DS-F001

DS-F002

DS-F003


DS-F004

DS-F005


FLOOR SERIES




DS-D001
标配 PVC
Standard PVC



DS-D002
标配 PVC
Standard PVC



DS-D003
标配 PVC
Standard PVC



DS-D004
标配 PVC
Standard PVC



NICE-L-A/B-40 15

NICE series integrated elevator controller

Mark	Controller Type
L	Specialized for elevators

Mark	Motor Type
A	Asynchronous motor
B	Synchronous motor

Mark	Power Class
02	2.2kW
03	3.7kW
...	...
30	30kW
45	45kW

Mark	Voltage Class
20	Single-phase/ Three-phase 220V
40	Three-phase 380V

Monarch 控制柜
Monarch Elevator Controller



Maintenance Contracts

Scheduled Full Preventive
Maintenance Plans & Services



Service Calls

On Demand Maintenance Service
Calls/Visits



Consultancy Services

Complementary Consultation &
Support Services

Why Choose Our Services

International Expertise	24/7 After-Sales Support	Continuous Training & Education	Highly-Skilled Technical Team
Our team is equipped with local & international expertise to counter any challenge	Our Customer Service personnel & engineers provide 24/7/365 after-sales support	Our engineers & technicians undergo continuous training, knowledge update & education	Our support team is well-rounded & highly-skilled with long years of technical expertise.

ADDRESS;
CHINA-SUZHOU +8613013772589
FOR MIDDLE ESST AND OMAN
+96897007517-22464340

